



D.TECH INDIA LED

Make Every Pixel Count



098764 80121
088921 90000



New Azad Nagar, Plot No.38, Nehru Vihar,
Govind Pura, Ludhiana, Punjab



www.dtechindia.in



■ COMPANY PROFILE

ABOUT US

We are a leading manufacturer and trader based in Ludhiana, proudly serving the LED video wall industry since 2012. With over a decade of experience, we have built a strong reputation for delivering reliable, high-quality LED display solutions tailored to our clients' needs. We believe that true success comes not just from sales, but from exceptional after-sales service and long-term customer satisfaction. Every project we undertake reflects our commitment to precision, durability, and superior performance. For us, quality is not a choice—it is our core principle. We focus on



MISSION

Our mission is to deliver high-quality LED display solutions that combine innovation, reliability, and excellent after-sales support. We strive to build long-term relationships by focusing on precision, performance, and customer satisfaction—because quality work matters more to us than quantity.

VISION

To become a trusted leader in the LED display industry by setting new benchmarks in quality, service, and innovation, while creating lasting value for our customers and partners.

BIG. BRIGHT. BRILLIANT



Indoor Display


Application : Auditorium, Hall, Conference room



Suggested Size: 6ft x 4ft, 10ft x 5ft, 12x6 , or any other desired size which is near to 16:9 or 18:9 aspect ratio.

BIG. BRIGHT. BRILLIANT

Indoor Display



P1.25 : (Minimum Viewing distance (1.25 meters)

P1.53 : (Minimum Viewing Distance (1.53 meters)

P1.86 : (Minimum Viewing Distance (1.86 meters)

P2 : (Minimum Viewing Distance (2 meters)

P2.5 : (Minimum Viewing Distance (2.5 meters)

P3 : (Minimum Viewing Distance (3 meters)



Indoor Display Description



BLOCK MODULE	P1.25	P1.53	P1.86	P2	P2.5	P3
DIMENSION (W*H)	320MM * 160MM	320MM * 160MM	320MM * 160MM	320MM * 160MM	320MM * 160MM	192MM*192MM
LED CONFIGURATION	SMD1010	SMD1212	SMD1515	SMD1515	SMD1921	SMD2121
INPUT VOLTAGE	4.5±0.1V	4.5±0.1V	4.5±0.1V	4.5±0.1V	4.5±0.1V	4.5±0.1V
LIFE TIME	1,00,000HRS	1,00,000HRS	1,00,000HRS	1,00,000HRS	1,00,000HRS	1,00,000HRS
RESOLUTION	256*128 =32,768 DOTS	208*104 =21632 DOTS	172*86 =14,792 DOTS	160*80 =12800 DOTS	128*64 =8192Dots	64*64 =4096Dots
MAXIMUM CURRENT	≤7.75A	≤7.75A	≤7.75A	≤7.75A	≤7.75A	≤7.75A
DRIVING METHOD	Constant Current 1/64 Scan	Constant Current 1/52 Scan	Constant Current 1/43 Scan	Constant Current 1/43 Scan	Constant Current 1/16 Scan	Constant Current 1/8 Scan
PIXEL DENSITY	6,40,000 DOTS/	4,22,500 DOTS/	2,88,406 DOTS/	2, 50,000 DOTS/	1,60,000 DOTS/	1,11,111 DOTS/

BIG. BRIGHT. BRILLIANT



Outdoor Display

Application: Advertisement, Campaign, Event




Suggested Size: From Ground Level
Suggested Size: 6ft x 4ft, 10ft x 5ft, 12x6 , or any other
desired size which is near to 16:9 aspect ratio.



BIG. BRIGHT. BRILLIANT

Outdoor Display



- P2.5 : (Minimum Viewing Distance (2.5 meters))
- P3 : (Minimum Viewing Distance (3 meters))
- P4 : (Minimum Viewing Distance (4 meters))
- P5 : (Minimum Viewing Distance (5 meters))
- P6 : (Minimum Viewing Distance (6 meters))



Outdoor Display Description




BLOCK MODULE	P2.5	P3	P4	P5	P6
DIMENSION (W*H)	320MM * 160MM	320MM * 160MM	320MM * 160MM	320MM * 160MM	192MM*192MM
LED CONFIGURATION	SMD1415	SMD1921	SMD1921	SMD2525	SMD2525
INPUT VOLTAGE	4.5±0.1V	4.5±0.1V	4.5±0.1V	4.5±0.1V	4.5±0.1V
LIFE TIME	1,00,000HRS	1,00,000HRS	1,00,000HRS	1,00,000HRS	1,00,000HRS
RESOLUTION	128*64=8192 DOTS	104*52=5408 DOTS	80*40=3200 DOTS	64*32=2048DOTS	32*32=1024Dots
MAXIMUM CURRENT	≤7.75A	≤7.75A	≤7.75A	≤7.75A	≤7.75A
DRIVING METHOD	Constant Current 1/16 Scan	Constant Current 1/13 Scan	Constant Current 1/8 Scan	Constant Current 1/8 Scan	Constant Current 1/8 Scan
PIXEL DENSITY	1,00,000 DOTS/	1,11,111 DOTS/	62,500 DOTS/	40,000 DOTS/	27,777 DOTS/

BIG. BRIGHT. BRILLIANT



Cloud System




Multimedia Player



Display Power Supply

Model: A-2005-5(5V, 40A)



Features:

- Low cost, High Reliability
- Built-in EMI Filter
- 1 years Warranty

BIG. BRIGHT. BRILLIANT



Why choose us...

- ❖ **Over a Decade of Experience** – Serving the LED video wall industry since 2012 with proven expertise.
- ❖ **Quality-First Approach** – We focus on durable, high-performance products, not mass quantity.
- ❖ **Excellent After-Sales Support** – Reliable service and technical assistance even after installation.
- ❖ **Customized Solutions** – LED displays designed to match your exact business and site requirements.
- ❖ **Trusted Local Presence** – A leading manufacturer and trader in Ludhiana with a strong reputation.



D.TECH INDIA LED

Make Every Pixel Count

BIG. BRIGHT. BRILLIANT



Corporate Office



Connect with us



098764 80121
088921 90000



New Azad Nagar, Plot No.38, Nehru Vihar,
Govind Pura, Ludhiana, Punjab



www.dtechindia.in